

QUANTITY DISTANCE VERIFICATION
(Ammunition Storage License)
TRADOC Reg 700-2
(Units Must Renew License Annually)

1. INSTALLATION: FORT SILL, OKLAHOMA			2. DATE DD/MMM/YYYY		
3. UNIT DESIGNATION UNIT OIC UNIT NCOIC			4. LOCATION/BLDG UNIT PHONE # ARMSROOM PHONE #		
5. FACILITY PHYSICAL SECURITY CONSTRUCTION STATEMENT EXPIRATION DATE:					
6. ITEM	7. HAZ CLASS	8. TYPE DISTANCE	9. QUANTITY DISTANCE FEET NOT APPLICABLE		10. MAXIMUM ALLOWABLE NUMBER OF ITEMS OF NET EXPLOSIVE WEIGHT
			FIRE SYMBOL	CHEM HAZ SYMBOL	
75/105mm Blank	1.3 C	IBD	3	N/A	ONE FULL STANDARD OUTER PACK
5.56/7.62 Ball/Tcr	1.4 S	IBD	4	N/A	* Rounds
9mm Ball	1.4 S	IBD	4	N/A	* Rounds
50 Cal Ball/Blank	1.4 C	IBD	4	N/A	* Rounds
5.56/7.62 Blank	1.4 S	IBD	4	N/A	* Rounds
Shot Gun	1.4 S	IBD	4	N/A	* Rounds
<p>* LIST QUANTITY LIMITS IN BLOCK 10 ABOVE. ONLY THOSE ITEMS IN HAZARD CLASS/DODIC/STORAGE COMPATABILITY GROUPS LISTED ARE AUTHORIZED FOR STORAGE IN ARMS ROOMS IAW TRADOC REG 700-2, PARA 4-1E AND PARA 4-6. AMNESTY BOXES ARE NOT LICENSED FOR THE STORAGE OF AMMUNITION OR EXPLOSIVES. AS SUCH, APPROPRIATE PERSONNEL WILL REMOVE ANY ITEM PLACED IN AMNESTY BOXES WITHIN 24 HOURS IAW DA PAM 710-2-1. STORE AMMUNITION IAW USAFACFS CIRCULAR, STORAGE OF TRAINING, AND CEREMONIAL AMMUNITION IN ARMS ROOMS, AND DOD 6055.9 STD.</p>					
<p>11. SIGNATURE CLOCK SECTION: SIGNATURE OF THE FOLLOWING PERSONNEL IS REQUIRED PRIOR TO STORAGE OF AMMUNITION ITEMS IN QUANTITIES AND TYPES LISTED IN UNIT ARMS AREAS. SIGNATURE INDICATES STORAGE LOCATION IS SUITABLE FOR ITEMS AND STORAGE IS REQUIRED FOR OPERATIONAL NECESSITY.</p>					
12. COMPANY/BATTERY COMMANDER					
13. BATTALION COMMANDER					
14. QUALITY ASSURANCE (AMMUNITION SURVEILLANCE) (QASAS) :					
15. FORT SILL PHYSICAL SECURITY OFFICER:					
16. CHIEF, POST FIRE DEPARTMENT:					
17. APPROVED POST SAFETY					

(Fort Sill license to store limited quantities of ammunition in Unit Arms Rooms)